



Quality by design

Being part of the Dutch SMI Groep which includes Cramm Yachting Systems and Hydromar Marine Equipment we have both the experience and track record of designing premium (super) yacht quality solutions.

Sustainable by design

We are very conscious of the impact our products have on the environment. We therefore choose sustainable materials and production techniques. The premium quality guarantees a long product life.

Service by design

Like you we love to be on the water and therefore we know the importance of being self-supportive. We design our products to minimize downtime and optimize for self-repair.

Safety by design

Not only do we design our solutions meeting the highest safety standards we also want to ensure the overall safety onboard increases. The equipment will continue to work at those moments when it matters most, it will allow you to board safely in all conditions and sea states.

This is where Swissway makes the difference on board your yacht!

Contact us now to learn how we can make the difference for you! E sales@swissway.pro

T +31 (0)88 4570 478



Boxed Gangways

Swissway offers three types of appealing retractable gangways which can be easily fitted in your new or existing yacht. These gangways drive in and out from a stainless steel box which is fitted inside the ship structure. The elegant design is an eye-catcher when deployed towards the quay awaiting you, your family or your guests to enter or leave the yacht in a safe and comfortable manner.

Single Telescopic

The Ballarin is our 'smallest' single telescopic retractable gangway with a reach ranging from 1.5 to 2.5 meters. When a longer distance has to be bridged, the larger retractable gangway Marco Polo is ideal, with a reach ranging from 2.4 to 3.6 meters.

Double Telescopic

The Sospiri is our double telescopic retractable gangway with a reach ranging from 1.4 to 2.9 m. With the double telescopic feature the box length can be reduced, making an installation possible where space is limited.

All retractable gangways are connected to a hydraulic powerpack and operated by means of a radio remote control or by the application on your smartphone.

Features

- An extended carriage is optional adding 200 mm or 350 mm to the total length.
- Solid teak strip shaped walking surface.
- Automatic railing on starboard. Port or both sides optional.
- All structures are made of stainless steel, all visible parts are with a high gloss polished AISI 316 finish.



Dimensions


Ballarin (Single telescopic)


Size	A+B	A	В	C	D	Lb	Wb	Lb
Minimum	1497	972	525	375	330	1432	455	156
Maximum	2497	1472	1025			1923	459	162
+200	All models available with extended trolley of 200mm. This will add 200 mm to A+B and Lb.							

Marco Polo (Single telescopic)

Mod.	A+B	A	В	С	D	Lb	Wb	Hb
2400 min.	2425	1640	785	375	375 330	1950	460	200
3600 max.	3625	2240	1385			2550		
+350	All models available with extended trolley of 350mm. This will add 350 mm to A+BI+B2 and Lb.							mm to

Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.






Sospiri (Double telescopic)

Size	Total	A	ВІ	B2	C	DI	D2	Lb	Wb	Hb
Minimum	1455	805	325	325	775	330	285	1220	458	208
Maximum	2955	1305	825	825	375			1720		
+200	All mod	els availal	ole with e	xtended t	rolley of 2	200mm. ⁻	This will a	dd 200 n	nm to A+l	B and Lb.

Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.



Technical Specifications

- The hydraulic cylinders are made of high gloss polished AISI 316 stainless steel.
- The sliding blocks are made of antfriction material / non-hygroscopic.
- The box hatch is mechanically actuated by the movement of the gangway.
- AISI 316 stainless steel trunk is without finishing and not watertight.





Multi-Functional Ladders

Swissway offers two types of hydraulic boarding ladders: the Golden Gate Fix and the Golden Gate Slew. Each outfitted with self-leveling steps which remain horizontal when topping up and down to the required boarding height towards the guay. These boarding ladders drive in and out of a stainless steel trunk or box which is fitted inside the ships structure.



The **Golden Gate** is a multi-functional addition for your yacht. It can be deployed as a gangway as well as a swim ladder. The topping angle up and down gives maximum flexibility for boarding especially when you combine this with the rotating frame.



Topping

All boarding ladders are standard available in a 35° up and 55° down topping. The topping makes it possible to dock at a variety of locations. This maximum 55° topping prevents a too steep angle for comfortable usage.

Fixed or Rotating Version The **Golden Gate Fix** and the

Golden Gate Slew can be supplied with 4 up to 8 steps. This results in a horizontal reach of 1.0m up to 2.2m.






150 kg SWL

Dimensions

Golden Gate Fix (Non-Slewing)

Steps	L	UP	DOWN	Lb	Wb	Hb	
Min. 5 Steps	1065	35°	60°	1570	490	170	
Max. 8 Steps	1710			2215			
+240	All models available with extended trolley of 240mm. This will add 240 mm to and Lb.						


Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.



Golden Gate Slew

Steps	L	UP	DOWN	Lb	Wb	Hb
Min. 5 Steps	1645	35°	55°	2125	510	250
Max. 8 Steps	2290			2770		

Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.



Technical Specifications

- All structures are made of stainless steel, all visible parts are with a high gloss polished AISI 316 finish.
- · Solid teak strip shaped walking surface.
- The sliding blocks are made of antfriction material / non-hygroscopic.
- Manual railing on starboard or portside. Both sides optional.
- The AISI 316 stainless steel trunk is without finishing and not watertight.





Easy to Use

Swissway offers several bathing ladders named *Carina* for easy and comfortable entering or leaving the water from the aft swim platform. These sophisticated swim ladders are equipped with automatically deployed railings for entering the water from the transom platform. Manually operated or fully automatic.

Manual Swim Ladders

Swissway offers two types of manual bathing ladders; the *Carina Railing Fix* and the *Carina Railing Tele*. The Carina Railing Tele is a telescopic ladder version in order to reduce the box length when the space reservation in the ship structure is limited.

Both versions are outfitted with fixed teak steps and a folding handrail on both sides of the stairs. Due to the leverage from the railings on both sides, this manual ladder can easily be deployed from the swim platform and stored accordingly. The swim ladders can be supplied with 4 up to 7 steps.

Hydraulic Swim Ladder

The hydraulic version is the *Carina Railing Motion* and is automatically deployed at the end of the driving motion.

The *Carina Railing Motion* can be supplied with 4 or 5 steps.





120 kg SWL



-IOO° Topping

Features

- All structures are made of AISI 316 stainless steel, all visible parts are with a high gloss polished finish.
- · Solid teak strip shaped walking surface.
- · Automatic railing on both sides.
- AISI 316 stainless steel trunk is without finishing and not watertight.
- Standard available with -100° top down angle.
- · Mechanic security latch during sailing.

Dimensions

Carina Railing Fix


Steps	L	Lb	Hb	Wb	С	Kg.
Min. 4 Steps	995	1300	109	4.05	700	28
Max. 7 Steps	1745	2050		495	389	44

Carina Railing Tele

Steps	L	Lb	НЬ	Wb	С	Kg.
Min. 4 Steps	1024	858	109	1.05	700	31
Max. 6 Steps	1524	1308		495	389	47

4 step model as wide option available with Wb:600 & C:493


Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.




Carina Railing Motion

Steps	L	Lb	Hb	Wb	С	Kg.
Min. 4 Steps	1020	1253	156	506	700	28
Max. 5 Steps	1270	1503			388	34

Our product lines range from the minimum and maximum indicated in the overview. Contact us to learn which solutions best fits your needs.








Elevans 4280 Deck Crane

Elevates your Yacht

- Proven Premium Yacht Quality
- User Friendly
- Low Maintenance
- ✓ SWL 800 kg @ 4,2 m at all radii
- ✓ Stainless Steel Construction
- ✓ Yacht Quality Paint Finish
- √ 3I5 degrees slew
- ✓ Meets all safety standards
- ✓ Remote control







SWISSWAY

Phone: +3I (0)88 4570 478 Email: info@swissway.pro

www.swissway.pro